

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 0 | ("9088348").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/29 12:13 |
| S1 | 8 | ((("6006332") or ("6167136") or ("6115533") or ("6327677") or ("6076105") or ("5870744") or ("6282175") or ("6370574"))).PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/26 14:38 |
| S2 | 32 | monitor same DRM and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/27 10:51 |
| S3 | 1700 | monitor same signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/27 17:54 |
| S4 | 112 | "713"/\$.ccls. and monitor same signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 16:16 |
| S5 | 2 | ("20020141407").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/26 16:17 |
| S6 | 3 | stm adj mapping.ti. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/26 16:17 |
| S7 | 0 | monitor same "restrict bandwidth" and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/27 10:51 |
| S8 | 0 | "restrict bandwidth" and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/27 10:52 |
| S9 | 43 | signature adj database same compare and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/27 14:58 |

| | | | | | | |
|-----|-------|---|---|----|-----|------------------|
| S10 | 4 | ("4405829").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/27 14:58 |
| S11 | 2 | ("5675743").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/10/27 14:59 |
| S12 | 1 | ("4827508").PN. | US-PGPUB; USPAT; EPO; JPO; IBM_TDB | OR | OFF | 2005/10/27 15:22 |
| S13 | 946 | password same volatile same memory | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/27 15:22 |
| S14 | 224 | packet same network and signature same header and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/27 17:57 |
| S15 | 65 | "713"/\$.ccls. and packet same network and signature same header and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/27 18:30 |
| S16 | 205 | software adj agent and data with monitor and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/27 18:30 |
| S17 | 28 | software adj agent same data with monitor and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:23 |
| S18 | 78571 | multimedia filter same signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:23 |
| S19 | 0 | multimedia adj2 filter same signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:23 |

| | | | | | | |
|-----|----------|---|---|----|----|------------------|
| S20 | 151 | multimedia same signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:45 |
| S21 | 37112 | traffic adj2 associator signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:45 |
| S22 | 0 | traffic adj2 associator same signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:46 |
| S23 | 0 | traffic adj2 associator same communication and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:46 |
| S24 | 0 | traffic adj2 associator same data and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:46 |
| S25 | 20410188 | traffic adj2 associator @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:46 |
| S26 | 20410188 | traffic adj associator @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:46 |
| S27 | 20410187 | "713"/\$.ccls. and traffic adj associator @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:47 |
| S28 | 0 | "713"/\$.ccls. and traffic adj associator and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:47 |
| S29 | 0 | traffic adj associator and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 10:52 |

| | | | | | | |
|-----|----------|--|---|----|----|------------------|
| S30 | 38 | signature same meta adj data and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:04 |
| S31 | 20410704 | signature same network same level @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:04 |
| S32 | 303 | signature same network same level and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:08 |
| S33 | 1 | signature same OSI same level and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:09 |
| S34 | 13 | signature same OSI and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:41 |
| S35 | 79 | layer adj analyzer and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:41 |
| S36 | 0 | layer adj analyzer same signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:42 |
| S37 | 16 | layer adj analyzer same source and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:43 |
| S38 | 3 | layer adj analyzer same output and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:46 |
| S39 | 1144 | different with sources same combine and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 11:50 |

| | | | | | | |
|-----|----------|--|---|----|----|------------------|
| S40 | 20 | packet same different with sources same combine and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 12:04 |
| S41 | 934 | signature same compressed and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 12:04 |
| S42 | 20410187 | signature same compressed same decompressand @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 12:04 |
| S43 | 23 | signature same compressed same decompress and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 13:21 |
| S44 | 31582717 | signature same compressed with data a nd @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 13:21 |
| S45 | 368 | signature same compressed with data and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 13:27 |
| S46 | 6 | signature same compressed with data same watermark and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 13:42 |
| S47 | 14 | signature same compressed with data same decompress and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 14:07 |
| S48 | 27 | signature same data same decompress and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 14:09 |
| S49 | 56 | entropy same encrypt\$5 and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 14:15 |

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S50 | 0 | measure with entropy same encrypt\$5 and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 14:15 |
| S51 | 0 | monitor with entropy same encrypt\$5 and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 14:15 |
| S52 | 0 | detect with entropy same encrypt\$5 and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 14:15 |
| S53 | 3 | use with entropy same encrypt\$5 and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 14:37 |
| S54 | 431 | hash same offset and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 16:39 |
| S55 | 104 | first with hash same offset and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 16:46 |
| S56 | 0 | first with hash same fast same second same offset and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 16:46 |
| S57 | 44 | first with hash same second same offset and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 16:46 |
| S58 | 31 | first with hash same second with hash same offset and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 16:48 |
| S59 | 104 | first with hash same offset and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 16:50 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S60 | 884 | buffer same signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 16:50 |
| S61 | 88 | "713"/\$.ccls. and buffer same signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 17:00 |
| S62 | 5 | "713"/\$.ccls. and buffer with packet same signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 17:19 |
| S63 | 1 | (US-6725371-\$).did. | USPAT | OR | ON | 2005/10/28 17:00 |
| S64 | 587 | multiple adj2 signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 17:20 |
| S65 | 82 | "713"/\$.ccls. and multiple adj2 signature and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 18:11 |
| S66 | 7 | firewall same trustworthy and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/28 18:12 |
| S67 | 58 | firewall same trust and @ad<"20010312" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/29 12:13 |